

ANCHOR AV

Desktop Lifts

ANCHOR AV

www.anchorav.com

Desktop Lifts



Desktop Lifts



Features

- Prompt automatic up/down performance within 20s.
- Automatic adjustable viewing angle $\pm 15^\circ$ of the monitor.
- Ultra-slim shape $\leq 70\text{mm}$ (2.75") width maximizing your work-surface area.
- Aluminum construction in elaborate finish with an elegant and stylish design.
- Each unit boasts a Samsung FHD flat panel of high resolution 1920x1080. Touch screen optional.
- Easy Installation, Smooth, Quiet and Robust performance
- CE Approval, ROHS Certified and ISO standard.
- Circular spindle designed between LCD and lift benefits a smooth angle motion and prevents hand from being jammed.
- Manual Button, Remote Control, Central Control via RS485/RS232 compatible with most control systems such as AMX/Crestron/Extron
- Built-in cable management keeps all cables and wires neat and organized.
- Standard size 15.6"/17.3"/18.5"/21.5". Offer Customized Solution.
- Standard color silver, black, gold. Offer Customized Solution.
- Warranty for one year against defects in parts and workmanship.

Desktop Lifts

Description

The world's most innovative monitor accommodation for LCD flat panel technology is now available for the Anchor LCD Lift lines. Anchor LCD Lifts are ideal for boardrooms, computer labs, education and training environments, auditorium and control center, lobby and reception areas or even your personal work station. Anchor LCD Lift is revolutionary in design, simplicity and security. Your LCD flat panel electronically elevates to an optimal viewing position with the slight touch of a button or a RF remote. When not in use, you may electronically retract your display under the desktop and the ultra-slim shape also maximize your work surface area.

It features a circular spindle designed between LCD and lift which benefits a smooth angle motion and prevents hands from being jammed and motor damage by stuffs dropping into the mechanism used to happen to the traditional LCD lifts. To realize a smart distance control, this LCDLift integrates with connection interfaces access to Central Control via RS485/RS232 compatible with most control systems such as AMX/Crestron/Extron. Anchor LCD Lift allows integration with touch screen, discussion microphone, digital camera and desktop socket etc. to maximize an overall AV functions. Featuring an Optional Interactive Paperless Office System Software, Anchor LCD Lift realizes a smart conference solution and offers non-print green working environment. Its unique overall automatic operation enables a smart working style with high efficiency in conference communication and information exchange. With high-quality aluminum construction in elaborate finish, this LCD lift features a modern design that blends in perfectly in a variety of multi-purpose applications.

Specifications

Model No.	Overall Size(MM)	Cabinet Size(MM)	Top Panel(MM)	Cutout on Top Panel	Net weight KG	Voltage	Power Consumption
AN CX-156	429W x 70D x 554H	413W x 60D x 550H	429W x 70D x 3.5H	413W x 62D	6	220V/110V	35W
AN CX-173	472W x 70D x 554H	455W x 60D x 550H	472W x 70D x 3.5H	455W x 62D	7.5	220V/110V	35W
AN CX-185	504W x 70D x 554H	487W x 60D x 550H	510W x 70D x 3.5H	487W x 62D	9	220V/110V	35W
AN CX-215	574W x 70D x 569H	555W x 60D x 565H	574W x 70D x 3.5H	555W x 62D	12	220V/110V	60W