



B5 SERIES

ELECTRIC MOTORIZED PROJECTOR LIFT

ELECTRIC MOTORIZED PROJECTOR LIFT

B5 SERIES

Brief Introduction:

Anchor's B5 series features a remarkable heavy load capacity which is an ideal solution, particularly for large projectors. This range provides a wide selection of different vertical travels from 1.5M to 10M to fit various multi-purpose applications. Utilized imported electromagnetic braking AC/DC motor, this series enables extremely quiet operation and is durable, robust, and stable. Heavy duty steel construction ensures durability in long-term use while the white power coated finish is resistant to scratches or fading. This projector lift is compact, convenient to install, and operates reliably. When not in use, the projector can be hidden in the ceiling. Either way helps save space and remains a neat, comfortable conference environment. Anchor's projector lifts allow full integration via RS232/RS485 control protocols to an almost limitless number of Audio Visual systems which offers the end user complete freedom in their choice of AV interface. All Anchor's projector lifts are certified with CE, ROHS and compatible with ISO standard.

Features:



Full choices for vertical travel from 1.5M to 10M



Manual & Remote Control with RS232/RS485 interface



CE Approval, ROHS Certified and ISO standard.



Imported electromagnetic braking AC/DC motor



Heavy duty steel frame with Anti-scratch coating



Easy installation and Robust performance



Integrated cable management



Hardware and universal projector mount enclosed



Prompt automatic up/down/stop control by remote.




Warranted for one year against defects in materials and workmanship.

ELECTRIC MOTORIZED PROJECTOR LIFT

B5 SERIES

Specifications:

Model No.	B515-AS	B530	B550	B560	B570
Exterior dimension (WxDxH)	550x520x290	550x520x340	550x520x490	550x520x570	550x520x600
Ceiling Cover	650x650	650x650	650x650	650x650	650x650
Min height between the cement and ceiling	700mm	800mm	1000mm	1050mm	1100mm
Max projector size	550x500x230				
Max running distance (with body height)	1500mm	3000mm	5000mm	6000mm	7000mm
Net weight	45kg	48kg	55kg	58kg	61kg
Load capacity	40kg	60kg	60kg	60kg	90kg
Power	60W	90W	90W	90W	120W
Rated voltage	110-220V	110-220V	110-220V	110-220V	110-220V



For more information contact:

Anchor AV, P.O. Box 121071, Dubai, U.A.E.


Tel: +971 4 3706522, Email: enquiry@anchorav.com

Copyright © 2020 Anchor AV. ANCHOR AV is the registered trademark of Anchor AV Accessories. Specifications and terms are subject to change without prior notice.

ELECTRIC MOTORIZED PROJECTOR LIFT

B5 SERIES

Mounting Dimensions:



For more information contact:

Anchor AV, P.O. Box 121071, Dubai, U.A.E.

Tel: +971 4 3706522, Email: enquiry@anchorav.com

Copyright © 2020 Anchor AV. ANCHOR AV is the registered trademark of Anchor AV Accessories. Specifications and terms are subject to change without prior notice.